

NCR Mainstream POS Terminal

For the specialty retail industry

Looking for non-stop reliability, innovative design
and a low total cost of ownership?

YES

Reliable, relevant POS terminal developed to meet your requirements

The NCR P1530 is the newest product within NCR's mainstream line of POS terminals for the specialty retail industry. The highlights of its open platform include a highly-efficient, dual-core Intel Atom processor for greater performance, a bright 1024x768 LED color main display with a resistive touchscreen, lower power consumption and a reliable, stylish design. The mainstream POS terminal has been engineered and manufactured to provide sustainability, non-stop reliability, maximum uptime and a low total cost of ownership.

- **Serve customers faster**

The NCR mainstream POS terminal combines superior processing power with top reliability. Increase your speed of service without sacrificing ease of use for your staff.

- **Gain product stability**

By using Intel's embedded processor family, the P1530 offers product stability for many years unlike the traditional consumer devices that have short processor life spans. This provides a consistent configuration which is critical for rollouts that might last several years.

- **Install it anywhere**

Our mainstream terminals can be used anywhere you need them, with rugged enclosures, fanless cooling and solid-state technology that can withstand spills without interrupting service.

- **Connect it to everything**

Connectivity is maintained with four RJ12, three standard USB ports, one powered USB 12V and more. Connect directly to all the devices you need to serve your customers quickly and at low cost.

- **Add displays to engage your customers**

Our 2x20 and 7" widescreen customer displays enable your customers to view orders, increasing order accuracy. Display advertising, promotions and specials to capture your customer's attention at the time of purchase.



For more information, visit www.ncr.com,
or call 1-800-852-5852



Experience a new world of interaction

NCR Mainstream POS Terminal

Key Features

- Standard Intel Architecture
- Industry standard storage (SATA interface for SSD), DDR3 memory, and USB/RS232 connectivity
- Multiple operating systems including Windows 7 Professional and POSReady 7
- OPOS drivers available

Why NCR?

With over 125 years of retail experience, NCR is a leading provider of retail management solutions for retailers of all sizes. We want to help you add to your bottom line by increasing sales and reducing costs. It is our mission to help retailers run their business, connect with customers and sell anywhere.

TECHNICAL SPECIFICATIONS	P1530 POINT-OF-SALE TERMINAL
SCREEN/DISPLAY	15-inch color, LED LCD/backlight high brightness resistive or capacitive touch screen. Screen resolution: 1024 x 768
INTEL CPU	Intel® Atom™ D2700 Dual-Core 2.13Ghz with HT
MEMORY	DDR3 RAM, 2GB standard, up to 4GB supported
OPERATING SYSTEM	Microsoft Windows 7 Professional, Microsoft Windows Embedded POS Ready 7
PORT AND EXPANSION	
Powered Serial	4 (RJ12 12v), optional expansion card for 2 additional ports available
USB	3 USB 2.0, 1 powered USB 12v
Cash Drawer	2 (12v)
DVI	Included
On-Board Networking	10/100/1000 Mbps Base-T Ethernet
OTHER FEATURES	
Integrated MSR	3 Track, Encrypting
On-Board Networking	10/100/1000 Mbps Base-T Ethernet
Customer Display	Options include the 2x20 VFD or 7-inch color widescreen C730 with full motion video. POS or pole mounting. The terminal provides the necessary power for operation.
UV Light Sensor	Optional UV light module attaches to bottom of terminal, utilizes dedicated UV port for power
Powered USB 24	Expansion card for powering printer from USB+power



NCR Mainstream POS Terminal

NCR continually improves products as new technologies and components become available. NCR, therefore, reserves the right to change specifications without prior notice. All features, functions and operations described herein may not be marketed by NCR in all parts of the world. Consult your NCR representative or NCR office for the latest information. All brand and product names appearing in this document are trademarks, registered trademarks or service marks of their respective holders.

© 2012 NCR Corporation Patents Pending EB10594-0912 www.ncr.com